



VJ SHEETING MOULDINGS

15 Hurricane Street BANYO QLD 4014 Phone 07 3260 9900

colonial@dmkforestproducts.com.au

www.colonialwalllinings.com.au

www.dmkforestproducts.com.au

A b a set II a	Dama 2
About Us	Page 3
VJ & Traditional Beaded Wall & Ceiling Linings	Page 4
Wet Room & Semi-External Wall & Ceiling Linings	Page 5
Special Centres Wall & Ceiling Linings	Page 6
Installation Overview	Page 7
Skirting & Architraves	Page 8
Skirting & Architraves cont.	Page 9
Cornices, Belt Rails, Dados, Wainscoting & Bolection Moulds	Page 10
Finger Jointed Pine Products	Page 11
Profile Matching Service	Page 12
Product Codes - Stock	Page 13
Product Codes - Special Orders	Page 14
Delivery Service	Page 15

Colonial Wall Linings (est. 1999) supply/manufacture high quality products and provide prompt and efficient service to all of our customers.

We specialise in the supply of MR E0 MDF VJ & Traditional Beaded Wall & Ceiling Linings.

We also manufacture MR E0 MDF & FJ Pine Mouldings: skirting boards; architraves; cornices; belt rails & picture rails.

Our raw materials for manufacturing are supplied by companies that source their materials from managed and renewable Australian pine plantations.

We take pride in our superior products & outstanding customer service.

Workshop & Showroom:

15 Hurricane Street, BANYO Q 4014

Phone: 07 3260 9900

Email: colonial@dmkforestproducts.com.au

Web: www.colonialwallllinings.com.au






& CEILING LINING

VJ & TRADITIONAL BEADED WALL





Stock - 100mm VJ Centre **Special Centres - See Page 13**

100mm Centres		
Panel Size	VJ Code	
2745 x 1200 9.5mm	PRWT2712	
3660 x 1200 x 9.5mm	PRWT3612	



Wet Room (HMR) **Standard VJ Profile 100mm Centres**

The key difference (between MR MDF and HMR MDF) is that the polyurethane - based resin (MDI) used in HMR HMF does not break down in the presence of moisture (i.e. a chmical, non-reversable bond with the wood fibres).

We stock three sizes of Wet Room VJ Wall Linings in 100mm Centres:

2400 x 1200 x 9mm

3000 x 1200 x 9mm

3600 x 1200 x 9mm





INSTALLATION OVERVIEW

Special Centres

VJ & Traditional Beaded Wall & Ceiling Linings Special Centres

63mm, 70mm, 86mm, 92mm, 100mm, 133mm, 140mm, 150mm

Effective cover is determined by profile centres. For example, 140mm Centres results in an effective cover of 1120mm.

Special Centre	Effective Cover
63mm	1197mm
70mm	1190mm
86mm	1204mm
92mm	1196mm
100mm	1200mm
133mm	1097mm
140mm	1204mm
150mm	1200mm

Special Centres available in MR MDF, HMR MDF & Semi-External



- Sheets should be delivered 48 hours prior to installation. *
- Never expose the sheets to water or excessive moisture. *
- Sheets must not be installed until the job is watertight, i.e. roofed, clad & joinery in. *
- Sheets must be kept a minimum of 10mm clear of floors & ceilings.
- Sheets must be fixed to timber-framed walls with studs at 450mm maximum centres. Where a join does not coincide with a stud, extra horizontal noggings must be provided at 600mm maximum centres.
- Adhesive must be used in conjunction with nails. Apply adhesive using a continuous 6mm bead down studs & along plates & noggings.
- Sheets must be face-nailed using 40 x 2.0mm bullet-heads or 32/40 nail gun finishing pins. Face-nail sheets at 600mm centres down studs & 300mm centres along top & bottom plates & noggings.
- Allow for structural movement by leaving a 3mm gap in corners & cover with a suitable moulding.
- When sheets are fixed over existing linings, fixings must penetrate the existing linings & be anchored into the structural frame.
- Where sheets are fixed to masonry walls, metal furring channels or damp-coursed timber battens must be used to prevent moisture transfer & to create the required airflow.

CEILING LINING INSTALLATION (Refer to the * points above)

- Sheets must be fixed to metal/timber ceiling battens at 400mm maximum centres.
- · Sheets must be kept to a minimum 10mm clear of walls, veranda plates & perimeter ms etc.
- The backs of all sheets & all fresh cut ends/cut-outs must be sealed prior to installation.
- A quality polyurethane adhesive must be used in conjunction with mechanical fixings.
 Apply adhesive using a continuous 6mm bead snaked side-to-side on the face of the ceiling battens.
- When using finishing gun pins, they must be shot at an angle in crosshatched pairs at 300mm centres along the batten lines.
- Veranda ceiling sheets must be finished using a quality location-specific paint produced immediately after installation.

For more information, Technical Data Sheets, MSDS & Health & Safety Information, contact our office on 07 3260 9900 or email colonial@dmkforestproducts.com.au





MDF for our mouldings is sourced from companies that manufacture products obtained from managed and renewable pine plantations. These companies are Australian Forestry Standard Chain of Custody certified.



CODE

PRMM06818HER

PRMM09018HER



Heritage Pointed

PRMM06818HP

PRMM09018HP

PRMM14018HP

SIZE





























ARCHITRAVES

SKIRTING &



Renovating, replicating or wanting to add a special feature to your project - We have the range to add that WOW factor to your design.






















90 x 18 RAPM09018COLLN 138 X 18 RAPM03818COLLN













RAPM06611SQ

66 x 11





CORNICES, BELT RAILS, DADOS, WAINSCOTING & BOLECTION MOULDS



9mm MR (Moisture Resistant) MDF		
VJ Profile - 100mm Centres		
Panel Size	Primed Code	
900 x 1200	CWLPVJ090912	
1200 x 1200	CWLPVJ091212	
2400 x 1200	CWLPVJ092412	
2700 x 1200	CWLPVJ092712	
3000 x 1200	CWLPVJ093012	
3300 x 1200	CWLPVJ093312	
3600 x 1200	CWLPVJ093612	
4500 x 1200	CWLPVJ094512	
5400 x 1200	CWLPVJ095412	

9mm MR (Moisture Resistant) MDF VJ & Traditional Beaded - 150mm Centres

Panel Size	VJ Code	Beaded Code
2400 x 1200	CWLPVJ1502412	CWLPTB15092412
3000 x 1200	CWLPVJ1502412	CWLPTB15093012
3600 x 1200	CWLPVJ1502412	CWLPTB15093612

9.5mm Semi-Exterior Linings VJ Profile - 100mm Centres

Panel Size	Code
2700 x 1200	CWLPSEVJ2712
3600 x 1200	CWLPSEVJ3612

HMR (Highly Moisture Resistant) Wet Room MDF

VJ Profile - 100mm Centres

Panel Size	Code
2400 x 1200	CWLWRVJ092412
3000 x 1200	CWLWRVJ093012
3600 x 1200	CWLWRVJ093612

9mm MR (Moisture Resistant) MDF VJ & TRADITIONAL BEADED

Panel Size	VJ Code	Beaded Code
Pallel Size	v3 Code	Beaueu Coue
2400 x 1200	CWLSPECVJ2412	CWLSPECTB2412
3000 x 1200	CWLSPECVJ3012	CWLSPECTB3012
3600 x 1200	CWLSPECVJ3612	CWLSPECTB3612
4500 x 1200	CWLSPECVJ4512	CWLSPECTB4512
5400 x 1200	CWLSPECVJ5412	CWLSPECTB5412

9mm HMR (Highly Moisture Resistant) Wet Room MDF VJ & Traditional Beaded - Special Centres

Panel Size	VJ Code	Beaded Code
2400 x 1200	PRWRSVC2412	PRWRSBC2412
3000 x 1200	PRWRSVC3012	PRWRSBC3012
3600 x 1200	PRWRSVC3612	PRWRSBC3612

9.5mm Semi-Exterior Linings VJ or Traditional Beaded - Special Centres

Panel Size	Code
2745 x 1200	PRWTSC2712
3660 x 1200	PRWTSC3612







SERVICE

DELIVERY

MOULDINGS PROFILE MATCHING

FULL SET UP INCLUDES:

TEMPLATE PRODUCTION

- HIGH SPEED STEEL KNIVES PRODUCTION
 - MOULDER SET

MOULDER SET INCLUDES:

• A STOCKED TEMPLATE & HIGH SPEED STEEL KNIVES (IF NOT INCLUDED IN OUR PUBLISHED RANGE)



DELIVERY SERVICE WE DELIVER IN THE SEQ AREA













15 Hurricane Street BANYO QLD 4014 PHONE 07 3260 9900

colonial@dmkforestproducts.com.au www.dmkforestproducts.com.a